## SAFETY DATA SHEET According to Commission Regulation (EU) 2015/830 of 28 May 2015 Section 1. Identification of the substance/mixture and of the company/undertaking 1.1 **Product identifier** PRODUCT NAME: FABRIC CARE F-1 Relevant identified uses of the substance or mixture and uses advised against 1.2 Relevant identified uses: Impregnating agent for textiles and leathers. Professional applications Uses advised against: not specified 1.3 Details of the supplier of the safety data sheet FX International Sp. z o.o. Address: ul. Mikołowska 65, 44-203 Rybnik Tel.: +48 577 899 066 E-mail address of competent person responsible for the SDS: biuro@fxprotect.pl FX International Sp. z o.o. **Emergency telephone number** 1.4 112 (24-hour) Section 2. Hazards identification 2.1 Classification of the substance or mixture Classification based on calculation method. H225 Flam. Liq. 2 Eve Irrit. 2 H319 2.2 Label elements GHS02 GHS07 Signal word: DANGER NOT APPLICABLE Identifier: Hazard statement(s) H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. Supplemental information on the label NOT APPLICABLE Precautionary statement(s) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210 P280 Wear protective gloves/protective clothing/eye protection. P337 + P313 If eye irritation persists: Get medical advice. Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403 + P233 + P235 P501 Dispose of contents / container to an authorized waste disposal plant. Supplemental Hazard information (EU): No specific information. Contents in accordance with 648/2004/EC Directive: NOT APPLICABLE 2.3 Other hazards No information on meeting the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII Section 3. Composition/information on ingredients 3.1 Substances NOT APPLICABLE 3.2 Mixtures ethanol 01-2119457610-43 **REACH No** Index No 603-002-00-5 200-578-6 EC No 64-17-5 CAS No Concentration % 80-100 H225 GHS02 Flam. Liq. 2 Dgr

Substance with a national level of the maximum permissible concentration in working environment.

# Components not classified:

Name:	CAS No:	EC No:	Content [%]
prioprietary	-	-	<10

Eye Irrit. 2

For full text of H-statements: see SECTION 16.

Classification according to 1272/2008/EC

H319

GHS07

Wng

# According to Commission Regulation (EU) 2015/830 of 28 May 2015

## Section 4. First aid measures

## Description of first aid measures 4.1

## General notes

Do not distribute anything orally to an unconscious person. In case of accident or feel unwell, seek medical advice immediately (show the label). If symptoms persist or in any doubt, seek medical advice. If the victim is not breathing, immediately give artificial respiration. Inhalation

Remove to fresh air. Keep the affected person warm and calm. In the case of sleep apnea - breathing apparatus.

# Skin contact

Wash with plenty of soap and water.

# Eve contact

Rinse eyes with plenty of water (if possible with eye wash) for several minutes (with eyelid opened), avoid strong water jet due to risk of corneal damage. Remove contact lenses during washing. Immediate consult ophthalmologist.

Note: People exposed to eye contamination should be advised on the necessity and methods of flushing.

## Ingestion

Do not induce vomiting. Give small amount of water to drink. Rinse mouth with water. If spontaneous vomiting occurs, keep the head below the hips to prevent aspiration.

# Protection of first-aiders:

Do not take any action that would harm anyone unless you are properly trained. Always use personal protective equipment.

## 4.2 Most important symptoms and effects, both acute and delayed

	• • •	
	Eye contact	Irritation
	Inhalation	Headache, nausea, vomiting, disorders of the central nervous system, drowsiness, dizziness, confusion, narcotic effect.
	Skin contact	Absorption through the skin may be as important as with inhalation.
	Ingestion	Abdominal pain, nausea, vomiting.
4 7	Indianation of our incur	a diala ma dial attantian and an acial transmus na adal.

### Indication of any immediate medical attention and special treatment needed: 4.3

Seek medical advice in case of accident or malaise. Do not induce vomiting or give anything by mouth to an unconscious person. Show the safety data sheet or label / package to the medical staff providing the assistance. Helpers under an unknown concentration of vapors / mist should be provided with adequate respiratory protection.

## Section 5. **Firefighting measures**

### 5.1 **Extinguishing media**

Suitable extinguishing media

CO2, powder, foam resistant to alcohol, water spray or water mist.

## Unsuitable extinguishing media water jets 5.2

# Special hazards arising from the substance or mixture

# Highly flammable liquid and vapour.

Produces suffocating and toxic fumes on combustion containing carbon oxides, nitrogen oxides. Inhalation of combustion products leads to serious health risks. In case of fire or when heated pressure increases and the container may rupture, resulting in the next explosion. Vapors can accumulate in the confined spaces and ignite. Runoff into sewage can cause a risk of fire or explosion. Can be ignited by heat, sparks or flames.

## 5.3 Advice for firefighters

Follow the procedures for extinguishing fires of chemicals. In case of fire involving large quantities of product, all persons should be removed / evacuated from the danger area. Closed containers exposed to fire or high temperature to be cooled down with water spray from a safe distance, if possible, and safely remove them from the hazard area. Do not allow fire extinguishing sewerage to enter sewage system and water bodies. Dispose of effluent and fire residue in accordance with local regulations. Persons involved in firefighting should be trained, equipped with self-contained breathing apparatus and full protective clothing.

## Section 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin and clothing. Provide ventilation. Avoid breathing vapors. Use personal protective equipment. Remove all sources of ignition. Accumulating vapors can form explosive mixtures with air.

## 6.2 **Environmental precautions**

Do not allow the product to enter sewers, water and soil. Limit the spread of the product after release.

#### 6.3 Methods and material for containment and cleaning up

Place the damaged packaging in the replacement packaging. Dilute the vapors with a spray of water. Small amounts of released product should be absorbed with inert, non-flammable absorbent material (e.g. soil, sand, vermiculite), collected in a closed, labeled waste container. Dispose of in accordance with local regulations. If necessary, to remove product or contaminated product absorbent material, enlist the help of specialized companies engaged in transportation and elimination of waste. Thoroughly ventilate and wash with water release site.

#### 6.4 Reference to other sections

Refer to Section 8 for appropriate personal protective equipment. For disposal information, see section 13. Refer to Section 7 for precautionary measures.

## Section 7. Handling and storage

## 7.1 Precautions for safe handling

Do not inhale vapors. Avoid contact with skin, eyes and clothing. Provide adequate ventilation. Keep unused containers tightly closed. Observe the basic rules of hygiene: do not eat, drink or smoke during work; each time after finishing / stopping work, wash your hands with water. Do not use contaminated clothing; immediately take off contaminated clothing, wash before reuse. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. No smoking.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Pay attention to warnings on the label.
  - Store only in certified, original, properly labeled, sealed packaging.
  - Prohibit access to unauthorized persons. Open containers close carefully and hold upright.
  - Store on a hard surface.

# According to Commission Regulation (EU) 2015/830 of 28 May 2015

- Store in a dry, cool, well-ventilated area.
- Keep away from strong oxidants, strong alkalis, and strong acids.
- Do not release to drains, surface or ground water (this also includes empty containers).
- Recommended storage temp.5-30 °C.
- Protect against direct sunlight, high temperatures, fire and sparks.
- Do not use tools that generate sparks.

Do not pierce or cut the container, do not weld on it or in its vicinity.

### 7.3 Specific end use(s)

Application method according to information provided by the manufacturer or distributor.

## Section 8. Exposure controls/personal protection

### 8.1 **Control parameters**

## Legal basis:

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (Text with EEA relevance)

CAS	Factor		Limit values		
		T۱	WA	ST	EL
		mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm
64-17-5	etanol				
04-17-5	Poland	1900			

# DNEL

No specific information.

PNEC

No specific information.

#### 8.2 Exposure controls

Observe general safety and hygiene rules. Do not eat, drink or smoke during product handling. Wash hands before meals and after work. Wash contaminated clothing before reuse. Avoid contact with skin, eyes and clothes. Avoid inhalation of vapors. Provide effective local ventilation in workstations, and general ventilation.

## **Respiratory protection:**

Ensure proper ventilation. Respiratory protection must be used if air pollution exceeds permissible concentrations.

Recommended half-mask or full-face mask with type AX absorber.

# Skin protection:

Protective clothing consisting of a shirt fastened at the neck, buttoned cuffs and trousers lined with shoes.

In order to protect exposed skin it is recommended to use moisturizing creams, but they should not be used immediately after exposure.

# Hand protection:

Protective gloves.

Recommended material: nitrile. >480min

# Permeation time:

Eve and face protection:

In case of prolonged exposure or splashes of liquid hazard, wear safety sealed goggles according to EN 166. It is recommended to equip the workplace in a water shower for rinsing eyes.

# Thermal hazards:

Heating can release hazardous gases. Flame or intense heat may cause violent rupture.

## Environmental exposure controls:

Should not be released into the environment. If the product contaminates rivers and lakes or drains inform respective authorities.

## Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Parameter	Value
Appearance (20°C)	Whitish liquid
Odour	Alcohol
Odour threshold	Not determined
рН	Not determined
Melting point/freezing point (°C)	-88
Initial boiling point and boiling range (°C)	78
Flash point (°C)	25,5
Evaporation rate	3
Flammability (solids, gases)	Not applicable – liquid
Flammability or explosive limits [% v/v]: upper lower	Not determined
Vapour pressure (20°C, mmHg)	42
Vapour density (air = 1)	1,54
Density (20°C, g/cm³)	Not determined
Solubility	Miscible with water
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature (°C)	352
Decomposition temperature (°C)	Not determined
Viscosity	Not determined

According to Commission Regulation (EU) 2015/830 of 28 May 2015

kinematic (cm²/s, 40°C) dynamic (mPa·s, 25°C)	
Explosive properties	Creates an explosive atmosphere with air
Oxidising properties	Not applicable

# 9.2 Other information

Specific gravity (water=1, 20°C): 0,81 Volatiles: 100%

# Section 10. Stability and Reactivity

# 10.1 Reactivity

Reacts with strong oxidizers and acids that may cause explosions.

# 10.2 Chemical stability

Stable under normal ambient conditions, as well as under expected temperature and pressure during storage and handling.

# 10.3 Possibility of hazardous reactions

Under recommended storage and use conditions, no hazardous reactions should occur.

# 10.4 Conditions to avoid

Avoid all sources of ignition (sparks, flames, electrostatic discharges). Do not compress, cut, weld, solder, drill, grind or expose containers to high temperatures or sources of ignition.

# 10.5 Incompatible materials

Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide.

## 10.6 Hazardous decomposition products

Toxic gases / vapors containing carbon oxides.

# Section 11. Toxicological information

This product has been evaluated following the conventional method specified by the EU Directive and is appropriately classified in terms of toxicity. Details are given in Sections 2 and 3.

# 11.1 Information on toxicological effects

1.1 Information on toxicological	cheels
Acute toxicity	
Oral:	
ATEmix:	LC50 >6980 mg/kg
Skin:	
ethanol	LD50 >20000 mg/kg (rabbit)
Inhalation:	
ATEmix:	Vapours 44 mg/l
ethanol	LC50 124,7 mg/l rat
	Vapours
	Exposure duration: 4 h
	Method: 403 OECD Directive
Skin corrosion/irritation	
etanol :	Species: Rabbit
	Irritative
	Method: 405 OECD Directive
Serious eye damage/irritation	May be irritant
Respiratory or skin sensitisation	No specific information
Germ cell mutagenicity	No specific information
Carcinogenicity	No specific information
Reproductive toxicity	No specific information
STOT-single exposure	No specific information
STOT-repeated exposure	No specific information
Aspiration hazard	No

# Section 12. Ecological information

For more information on possible environmental effects, see Section 2.1. (classification). No data for the final product, the evaluation was made based on the individual components.

	For more information on possib	ole environmental effects, see Section 2.1. (	classification). No data
	the individual components.		
12	2.1 Toxicity		
	Do not allow to enter surface w	aters, watercourses or sewage system.	
	Fish:		
	ethanol	LC50 (Pimephales promelas): 14,2	g/l
		Exposure duration: 96 h	
	Toxicity to daphnia and other ac	quatic invertebrates:	
	ethanol	EC50 (Ceriodaphnia dubia): 5.012	mg/l
		Exposure duration: 48 h	
	Algae:		
	ethanol :	ErC50 (Chlorella vulgaris) 675 mg/	/1
		Exposure duration: 96 h	
		Method: 201 OECD Directive	
	Toxicity to daphnia and other ac	quatic invertebrates (chronic)	
	ethanol :	NOEC: 9,6 mg/l	
	Issued: 2018-12-04	Updated: -	Version: 1.0/EN

According to Commission Regulation (EU) 2015/830 of 28 May 2015

12.2 Persistence and degradability

Exposure duration: 9 d Species: Daphnia magna

# ethanol :

Concentration: 10 mg/l Result: Readily biodegradable. Biodegradation: c.a. 84 % Species: Leuciscus idus Exposure duration: 3 d BCF: < 10

## **Bioaccumulative potential** 12.3

No specific information.

12.4 Mobility in soil

No specific information.

12.5 Results of PBT and vPvB assessment

# No specific information.

12.6 Other adverse effects

The product should not enter the water or sewerage system or the soil.

## Section 13. Disposal considerations

## 13.1 Waste treatment methods

Dispose in accordance with all applicable regulations. Dispose of the product and its container in a safe manner. Prevent spillage of product into soil and sewage water.

Do not use empty packaging.

Be careful when handling empty containers that have not been thoroughly cleaned. Empty containers may contain product residues. Vapors from the product residue can form a flammable or explosive atmosphere inside the container. Do not cut, weld or crush used containers unless they have been thoroughly cleaned.

## Section 14. **Transport Information**

The product is subject to regulations on the transport of dangerous goods included in ADR (road), RID (rail), ADN (inland transport), IMDG (sea), ICAO / IATA (air).

Quantities excluded:

The maximum net amount for inner packaging: 30ml

	e maximum net quantity for outer packaging	ADR
14.1	UN number	1170
14.2	UN proper shipping name	ETHANOL SOLUTION
		3, F1
14.3	Transport hazard class(es)	
14.4	Packing group	III
14.5	Environmental hazards	Not hazardous to the environment according to the transport regulations.
14.6	Special precautions for user	When handling a load wear personal protective equipment according to section 8. Quantity limited: 5I Tunnel restriction code: D/E Hazard identification number: 30 Proceedings: S2 Special provision: 144 601
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code	Does not apply in the form in which it was delivered.

## Section 15. **Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

- 1) Regulation (EC) No. 1907/2006 (Annex II Guidelines for the preparation of Safety Data Sheets)
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the 2) Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (OJ L 132/8 29.5.2015, CELEX 32015R0830)
- 3) Commission Regulation (EU) No. 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (OJ L 133 31.5.2010, CELEX 32010R0453)
- 4) Regulation (EC) No. 1272/ 2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (OJ L 353 31.12.2008, CELEX 32008R1272
- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation 5) and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (OJ L 396 30.12.2006, CELEX 32006R1907)

Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing some Directives (OJ L 312 22.11.2008, CELEX 32008L0098). 6)

7) Regulation (EC) No. 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer (OJ L 286

According to Commission Regulation (EU) 2015/830 of 28 May 2015

31 October 2009, CELEX 32009R1005).

8) Directive 2008/68/EC of the European Parliament and of the Council of 24 September 2008 on the inland transport of dangerous goods (Text with EEA relevance) (OJ L 260 30.9.2008, CELEX 32008L0068)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council of 4 July 2012 on the control of major-accident hazards involving dangerous substances

Category	Threshold value for lower-tier establishment [t]	Threshold value for upper-tier establishment [t]
P5c FLAMMABLE LIQUIDS	5000	50000

# 15.2 Chemical Safety Assessment

No chemical safety assessment has been made for the product.

## Section 16. Other information

The data contained herein refer to the product in commercial form.

H225	Highly flammable liquid and vapour.		
H319	Causes serious eye irritation.		
Hazard classes	and categories		
Eye Irrit. 2	Eye damage / irritation	Category	2
Flam. Liq. 2	Flammable liquids	Category	2
Abbreviations a	and acronyms	<b>C</b> ,	
ACGIH	Association Advancing Occupational and Environmental Health		
ADN ADR	L' Accord européen relatif au transport international des marchandises Dangereuses par voies de navigation intérieures International Carriage of Dangerous Goods by Inland Waterways Accord Dangereux Routier - European regulations concerning the international transport of dangerous goods by road	The European Agreement conce	erning
ASTM	American Society for Testing and Materials		
TE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BGW	Biologischer Grenzwert (biological limit value, Germany)		
AS	Chemical Abstract Service		
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures		
CMR	Carcinogenic, Mutagenic or Toxic to Reproduction		
CSA	Chemical safety assessment		
SR	Chemical safety report		
DIN	Deutsches Institut für Normung - German Institute for Standardisation		
NEL	Derived No-effect Level		
с	European Community		
C50	Median Effective Concentration (required to induce a 50% effect)		
s	Exposure Scenario		
WC	European Waste Catalogue		
HS	Global Harmonized System		
ATA	International Air Transport Association		
250	Median Inhibition Concentration (concentration that reduces the effect by 50%)		
MDG	International Maritime Dangerous Goods Code		
50	International Organization for Standardization		
C50	Lethal Concentration, 50%		
D50	Lethal Dose, 50%		
DLo	Lethal Dose Low		
ogPow	octanol/water partition coefficient		
'OC	Volatile organic compound		
/ARPOL 73/78	The International Convention for the Prevention of Pollution from Ships		
IIOSH	The U.S. National Institute for Occupational Safety and Health		
IOEC	No Observed Effect Concentration		
DECD	Organization for Economic Co-operation and Development		
SHA	Occupational Safety & Health Administration		
вт	Persistent Bioaccumulative Toxic (chemical)		
EL	Permissible Exposure Limits		
PNEC	Predicted No Effect Concentration		
EACH	Regulation 1907/2006/EC for Registration, Evaluation, Authorization and Restriction of Chemical		
ID	Regulations Concerning the International Transport of Dangerous Goods by Rail		
RN	REACH registration number		
TEL	Short Term Exposure Limit		
TOT RE	Specific target organ toxicity – repeated exposure		
TOT SE	Specific target organ toxicity – single exposure		
SVHC	Substances of very high concern		
WA	Time Weighted Average		
/PvB	very Persistent very Bioaccumulative (chemical)		

The information in this SDS is based on the present state of our knowledge and current law basis. The product is not to be used for purposes other than those specified under Section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

The SDS has been developed by **Pro-Perfekt, biuro@properfekt-msds.pl** This Safety Data Sheet is protected by the Act of 4 February 1994 on copyright and related rights. Copying, adaptation, transformation or modification of the safety data sheet or parts thereof without the prior written permission of the authors is prohibited.